




VORTEX

STAG ARMS



STAG ARMS 2018

PRODUCT CATALOG



Stag Arms is dedicated to continually improving its product line and offering the latest advancements in the AR community. While this catalog is a comprehensive guide to our products, we offer everything you would ever need to build your AR on our website. Additionally, we regularly offer limited edition products featuring new designs and builds. We highly recommend our customers look at our website and subscribe to our daily newsletter for everything Stag Arms.

www.StagArms.com

STAG ARMS, LLC
515 JOHN DOWNEY DRIVE
NEW BRITAIN, CT 06051

TABLE OF CONTENTS

PAGE : 03

PAGE : 04

PAGE : 08

PAGE : 50

PAGE : 64

PAGE : 65

PAGE : 66

CONTENTS

INTRODUCTION

RIFLE SERIES

PARTS & ACCESSORIES

WARRANTY INFORMATION

ORDER INFORMATION

CONTACT INFORMATION

INTRODUCTION

There Is No Weak Side.

Stag Arms has specialized in the development of left-handed AR15 rifles since it was first founded in 2003. The company aims to provide all shooters with a superior quality rifle at competitive price points, while driving home lifetime value with the Lifetime Transferable Warranty and Infinite Shot Barrel Guarantee.

While being the first to market and championing the left-handed Modern Sporting Rifle, the Stag Arms Team is constantly pushing the boundaries of product development for both right and left-handed consumers. The creation of innovative products that are accessible to all shooters is the main target.

Each and every part that is assembled into Stag rifles are 100% American made, which is why we remain confident that we are producing a quality product. Stag Arms' goal remains the same; to make sure there is no weak side for our customers, and continuing to be a top tier firearms producer.

Hit Fast. Hit Hard. Stag Arms.



Great rifles are made in America; the best rifles are made here.





RIFLE SERIES

STAG 15 3GUN ELITE SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 3Gun Elite was designed specifically for 3-Gun competitors, where fast and accurate shooting is required. Featuring the all-new Stag 15 M-LOK SL 16.5" Handguard which provides a slimline, lightweight profile with unmatched ergonomics, airflow, and modularity.

Built around an 18" 1/8 twist 416 Stainless Steel Fluted Heavy Barrel and the Stag 3G Compensator for absolute muzzle control. A Geissele Super 3-Gun Trigger offers a robust feel and light pull weight, combined with a lightning-quick reset, making this trigger ideal for any 3-Gun competitor. The rifle is finished with a Magpul ACS Stock, MOE Pistol Grip, Aluminum Enhanced Trigger Guard and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 7.6 lbs

Length: 36" collapsed, 39.5" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Barrel: 18", 416 Stainless Steel, Fluted Heavy Barrel Profile

Twist Rate: 1/8 Button Rifled

Muzzle Device: Stag 3G Compensator

Handguard: 16.5" Stag 15 M-LOK SL Handguard

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Rifle-Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul ACS Stock

Buffer: H buffer and Spring

Trigger: Geissele Super 3-Gun Trigger with Magpul Aluminum Enhanced Trigger Guard

Grip: Magpul MOE

Magazine: 30rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



- + STAG800001 | STAG 15 3GUN ELITE
- + STAG800001L | STAG 15L 3GUN ELITE



- + STAG700001N | STAG 15 3GUN ELITE UPPER
- + STAG700001LN | STAG 15L 3GUN ELITE UPPER



- + STAG700001K | STAG 15 3GUN ELITE RIFLE KIT
- + STAG700001LK | STAG 15L 3GUN ELITE RIFLE KIT

STAG 15 VALKYRIE SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 Valkyrie utilizes the all-new 224 Valkyrie cartridge, created by Federal Premium® Ammunition, allowing for maximal performance from the Stag 15 platform. Built around an 18" 416R Stainless Steel Fluted Heavy Barrel, the 224 Valkyrie cartridge provides less wind drift and drop than all other loads in its class and stays supersonic past 1,300 yards.

The Valkyrie hosts our Two-Stage Match Trigger, coated in Nickel-Boron, that is designed for precision shooting. Each pull is smooth and consistent to ensure that this trigger will enhance the shooters ability to create tighter groups at the furthest distances. The mid-length gas system provides reliability under any condition and is combined with a low-profile gas block. The rifle is finished with a Magpul PRS Stock, Aluminum Enhanced Trigger Guard, Hogue Pistol Grip, and Manganese Phosphate coated, chrome lined 6.8 SPC II bolt carrier group.

The 224 Valkyrie cartridge is the new choice for both long-range target shooters and hunters

SPECS

Weight: 8.1 lbs

Length: 39"

Action: Semi-Auto Direct Impingement

Caliber: .224 Valkyrie

Twist Rate: 1/7 Button Rifled

Muzzle Device: VG6 Epsilon

Barrel: 18", 416R Stainless Steel, Fluted Heavy Barrel

Handguard: Stag 15 16.5" M-LOK SL

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Manganese Phosphate coated, Chrome Lined 6.8 SPC II M16 BCG

Gas System: Mid-Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul PRS

Buffer: H Buffer and Spring

Trigger: Nickel Boron coated Two-Stage Match Trigger with Magpul Aluminum Enhanced Trigger Guard

Grip: Hogue Pistol Grip

Magazine: 25rd 6.8 SPC GI Magazine

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG580020 | STAG 15 VALKYRIE
+ STAG580020L | STAG 15L VALKYRIE



+ STAG570020N | STAG 15 VALKYRIE UPPER
+ STAG570020LN | STAG 15L VALKYRIE UPPER



+ STAG570020K | STAG 15 VALKYRIE RIFLE KIT
+ STAG570020LK | STAG 15L VALKYRIE RIFLE KIT

STAG 15 TACTICAL SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 Tactical is the first rifle in the Stag 15 lineup to feature the Stag 15 M-LOK SL 13.5" Handguard. Built around a 16" 1/7 twist chrome lined barrel, the Stag 15 Tactical has an A2 Flash Hider to reduce muzzle flash. The carbine-length gas system provides reliability under any condition and is combined with a low profile gas block.

The free-floating Stag 15 SL M-LOK 13.5" Handguard features a slimline, lightweight profile that offers increased ergonomics, maximum airflow, and modularity while continuing to provide the utmost strength and durability. The handguard provides QD mounts at each end and an uninterrupted picatinny rail along the top, which allows for room for sights, optics and accessories the shooter may require. The rifle is completed with a Magpul CTR Stock, MOE Pistol Grip, Enhanced Trigger Guard and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 6.3 lbs

Length: 32.25" collapsed, 35.5" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4150 Steel, Chrome Lined, Government Profile, Manganese Phosphate Coated

Handguard: Stag 15 13.5" M-LOK SL w/ QD

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine-Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul CTR Stock

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: Magpul Moe Pistol Grip

Magazine: 30rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800006 | STAG 15 TACTICAL
+ STAG800006L | STAG 15L TACTICAL



+ STAG700006N | STAG 15 TACTICAL UPPER
+ STAG700006LN | STAG 15L TACTICAL UPPER



+ STAG700006K | STAG 15 TACTICAL RIFLE KIT
+ STAG700006LK | STAG 15L TACTICAL RIFLE KIT

STAG 15 SL SBR SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 SL SBR features the ultra-lightweight, free-float 13.5" Stag 15 M-LOK SL handguard with quad rails and a 14.5" 1/7 twist QPQ finished barrel. QPQ (Quench Polish Quench) is a specialized type of nitrocarburizing case hardening that increases corrosion resistance, lubricity and fatigue strength. Utilizing a carbine-length gas system provides reliability under any condition and is combined with a low profile gas block. The SL SBR handguard features 5 M-LOK attachments on its slim profile with a picatinny railed forend for a multitude of attachments.

Also provided are QD mounts at the rear and an uninterrupted picatinny rail along the top, which allows for room for sights, optics and accessories the shooter may require. The rifle is completed with a Magpul CTR Stock, MOE Pistol Grip, and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 6.2 lbs

Length: 30.75" collapsed, 34" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 14.5", 4150 Steel, QPQ (Quench-Polish-Quench) Finish

Handguard: Stag 15 13.5" M-LOK SL

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul CTR Stock

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: Magpul Moe Pistol Grip

Magazine: 30rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800008 | STAG 15 SL SBR
+ STAG800008L | STAG 15L SL SBR



+ STAG700008N | STAG 15 SL SBR UPPER
+ STAG700008LN | STAG 15L SL SBR UPPER



+ STAG700008K | STAG 15 SL SBR RIFLE KIT
+ STAG700008LK | STAG 15L SL SBR RIFLE KIT

STAG 15 VARMINTER SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 Varminter is the quintessential varmit hunting rifle that maximizes accuracy from the AR15 platform. To ensure accuracy, the Varminter features a 24" 1/8 twist 410 Stainless Steel Bull barrel with an 11-degree target crown. A free-float overmolded handguard from Hogue offers a solid grip and allows the rifle to maintain accuracy as it never touches the barrel to exert unwanted pressure while firing.

The Varminter utilizes our Two-Stage Match Trigger that is designed for precision shooting. Each pull is smooth and consistent to ensure that this trigger will enhance the shooters ability to shoot tighter groups. The rifle is finished with a Magpul Fixed Stock, Aluminum Enhanced Trigger Guard, Hogue Pistol Grip, .936 Low Profile Gas Block and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 10 lbs

Length: 42.5"

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/8 Button Rifled

Muzzle Device: 11-Degree Target Crown

Barrel: 24", 410 Stainless Steel, Heavy Bull Barrel

Handguard: Hogue Free-Floating Handguard w/ Bipod Stud Mount

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Rifle-Length with .936 Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul Fixed Rifle Stock

Buffer: A2 Buffer with A2 Action Spring

Trigger: Two-Stage Match Trigger (2lb 1st Stage, 3.5lb 2nd Stage) with Magpul Aluminum Enhanced Trigger Guard

Grip: Hogue Pistol Grip


Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800002 | STAG 15 VARMINTER
+ STAG800002L | STAG 15L VARMINTER



+ STAG700002N | STAG 15 VARMINTER UPPER
+ STAG700002LN | STAG 15L VARMINTER UPPER



+ STAG700002K | STAG 15 VARMINTER RIFLE KIT
+ STAG700002LK | STAG 15L VARMINTER RIFLE KIT

STAG 15 SUPER VARMINTER SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 Super Varminter (6.8 SPC II) was specifically designed for game hunters. The 6.8 SPC II Cartridge offers more energy than 5.56mm NATO, which results in increased knockdown power from the AR15 platform. Though creating more energy, the cartridge maintains controllability similar to the 5.56mm NATO cartridge.

Constructed around a 20.77" 1/11 twist 410 Stainless Steel Heavy Barrel with an 11-degree target crown and a Two-Stage Match Trigger to ensure consistent accuracy and trigger pull. The rifle is finished with a Magpul Fixed Stock, Aluminum Enhanced Trigger Guard, Hogue Pistol Grip and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 7.8 lbs

Length: 39.25"

Action: Semi-Auto Direct Impingement

Caliber: 6.8 SPC with a SAAMI SPEC II Chamber

Twist Rate: 1/11 Button Rifled

Muzzle Device: 11-Degree Target Crown

Barrel: 20.77", 410 Stainless Steel, Heavy Barrel Profile

Handguard: Hogue Free-Floating Handguard w/ Bipod Stud Mount

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Rifle-Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Magpul Fixed Rifle Stock

Buffer: A2 Buffer with A2 Action Spring

Trigger: Two-Stage Match Trigger (2lb 1st Stage, 3.5lb 2nd Stage) with Magpul Aluminum Enhanced Trigger Guard

Grip: Hogue Pistol Grip

Magazine: 10rd

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800003 | STAG 15 SUPER VARMINTER (6.8)
+ STAG800003L | STAG 15L SUPER VARMINTER (6.8)



+ STAG700003N | STAG 15 SUPER VARMINTER (6.8) UPPER
+ STAG700003LN | STAG 15L SUPER VARMINTER (6.8) UPPER



+ STAG700003K | STAG 15 SUPER VARMINTER (6.8) RIFLE KIT
+ STAG700003LK | STAG 15L SUPER VARMINTER (6.8) RIFLE KIT

STAG 15 RETRO SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 Retro offers a reproduction of the classic M16A2 models issued to US Military personnel with a few modern upgrades. Built around a 20" 1/8 twist barrel and a 12" thermoplastic handguard with double heat shields to provide better heat mitigation. The rifle-length gas system is partnered with an A2 front sight, and the barrel is finished with an A2 flash hider for reduced muzzle flash and an M16 Manganese Phosphate, chrome lined bolt carrier group.

Featuring a removable A3 carry handle with integrated sight that, once removed, exposes a picatinny rail running along the top of the upper receiver. This creates room for sights, optics and accessories the shooter may require. The Retro is completed with a rugged and durable A2 buttstock and pistol grip.

SPECS

Weight: 8.5 lbs

Length: 39.75"

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/8 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 20", 4140 Steel, Chrome-Moly, Heavy Profile, Manganese Phosphate Coated

Handguard: Thermoplastic with Double Heat Shields

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Rifle-Length with A2 Front Post

Charging Handle: Standard Mil-Spec

Front Sight: F-marked A2 Front Sight and Bayonet Lug

Rear Sight: Removable A3 Carry Handle with Integrated Sight

Buttstock: A2 Stock with Trap Door for Storage

Buffer: A2 Buffer with A2 Action Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: A2 Style Grip

Magazine: 20rd Straight Magazine

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800009 | STAG 15 RETRO
+ STAG800009L | STAG 15L RETRO



+ STAG700009N | STAG 15 RETRO UPPER
+ STAG700009LN | STAG 15L RETRO UPPER



+ STAG700009K | STAG 15 RETRO RIFLE KIT
+ STAG700009LK | STAG 15L RETRO RIFLE KIT



STAG 15 O.R.C. SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 O.R.C. (Optics Ready Carbine) raises the standard as a classic modern sporting rifle. Built to perform in any condition, the O.R.C. achieves the highest standards of reliability. Constructed around 7075 T6 Aluminum receivers and a 16" 1/7 twist chrome lined barrel, the O.R.C. will not be easy to put down.

Covering the barrel is a 7" thermoplastic handguard with a double heat shield, which provides improved heat mitigation, attached to a carbine-length railed gas block for a preferred front sight. The muzzle device is a A2 Flash Hider to reduce muzzle flash. The O.R.C. is then finished with Mil-Spec furniture and accessories, including a A2 pistol grip, six-position stock, and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 6.5 lbs

Length: 32.25" collapsed, 35.5" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4150 Steel, Chrome Lined, Government Profile, Manganese Phosphate Coated

Handguard: Thermoplastic Handguard with Double Heat Shield

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine-Length with Railed Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: Mil-Spec Six-Position Stock

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: Mil-Spec Pistol Grip

Magazine: 30rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800010 | STAG 15 O.R.C
+ STAG800010L | STAG 15L O.R.C



+ STAG700010N | STAG 15 O.R.C UPPER
+ STAG700010LN | STAG 15L O.R.C UPPER



+ STAG700010K | STAG 15 O.R.C RIFLE KIT
+ STAG700010LK | STAG 15L O.R.C RIFLE KIT

STAG 15 M4 SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 15 M4 satisfies the need for a standard GI carbine. Built around a 16" 1/7 twist chrome lined barrel, the M4 utilizes an A2 Flash Hider to reduce muzzle flash. The carbine-length gas system provides Mil-Spec reliability under any condition and is paired with an A2 front sight. A thermoplastic handguard with a double heat shield provides better heat mitigation and are 20% lighter than aluminum of the same strength.

With a removable A3 carry handle with integrated sight, the rifle offers everything you would need for a battle-ready rifle right out of the box. For additional customizations, the carry handle can be removed to expose a picatinny rail running along the top of the upper receiver, creating room for sights, optics and accessories the shooter may require. The M4 is finished with the durable A2 pistol grip, Mil-Spec six-position stock, and Manganese Phosphate coated, chrome lined M16 bolt carrier group

SPECS

Weight: 6.75 lbs

Length: 32.25" collapsed, 35.5" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4150 Steel, Chrome Lined, Government Profile, Manganese Phosphate Coated

Handguard: Thermoplastic with Double Heat Shield

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine-Length with A2 Front Post

Charging Handle: Standard Mil-Spec

Front Sight: F-marked A2 Front Sight and Bayonet Lug

Rear Sight: Removable A3 Carry Handle with Integrated Sight

Buttstock: Mil-Spec Six-Position Stock

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: A2 Style Plastic Grip

Magazine: 30rd

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800012 | STAG 15 M4
+ STAG800012L | STAG 15L M4



+ STAG700012N | STAG 15 M4 UPPER
+ STAG700012LN | STAG 15L M4 UPPER



+ STAG700012K | STAG 15 M4 RIFLE KIT
+ STAG700012LK | STAG 15L M4 RIFLE KIT

STAG 15 LEO SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

Designed with the tactical operator in mind, the Stag 15 LEO checks off all the fundamental requirements in a tactical rifle. A 16" 1/7 twist chrome lined barrel is protected by a carbine-length free-float quad rail. The picatinny quad rails are perfect for the attachment of sights, optics, and accessories that the shooter may require.

A carbine-length gas system is connected to an A2 front post for an always ready front sight. The muzzle device is an A2 Flash Hider to reduce muzzle flash. The Stag 15 LEO is finished with Mil-Spec furniture and accessories, including an A2 pistol grip, six-position stock, and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 6.8 lbs

Length: 32.25" collapsed, 35.5" extended

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4150 Steel, Chrome Lined, Government Profile, Manganese Phosphate Coated

Handguard: Free-Floating Handguard with Picatinny Quad Rails

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine-Length with A2 Front Post

Charging Handle: Standard Mil-Spec

Front Sight: F-marked A2 Front Sight, Side Sling Swivel, and Bayonet Lug

Buttstock: Mil-Spec Six-Position Stock

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: A2 Style Plastic Grip

Magazine: 30rd

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800013 | STAG 15 LEO
+ STAG800013L | STAG 15L LEO



+ STAG700013N | STAG 15 LEO UPPER
+ STAG700013LN | STAG 15L LEO UPPER



+ STAG700013K | STAG 15 LEO RIFLE KIT
+ STAG700013LK | STAG 15L LEO RIFLE KIT



STAG 15 BONES SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

Build your ideal AR15 from our high quality, durable Stag 15 Bones platform. Built around a 16" 1/7 twist chrome lined barrel and 7075 T6 Aluminum receivers, this Mil-Spec AR gives you the perfect base and allows you to customize to what you want.

To reduce muzzle flash, we have outfitted the barrel with an A2 Flash Hider. Finished with durable Mil-Spec components including a A2 pistol grip, six-position receiver extension tube, and Manganese Phosphate coated, chrome lined M16 bolt carrier group.

SPECS

Weight: 5.2 lbs

Length: 31 5/8"

Action: Semi-Auto Direct Impingement

Caliber: 5.56 NATO | .223

Twist Rate: 1/7 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4150 Steel, Chrome Lined, Government Profile, Manganese Phosphate Coated

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: Mil-Spec Manganese Phosphate coated, Chrome Lined M16 BCG

Gas System: Carbine-Length with Low Profile Gas Block

Charging Handle: Standard Mil-Spec

Buttstock: None/Six-Position Receiver Extension Tube

Buffer: H Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger

Grip: A2 Style Plastic Grip


Magazine: 30rd

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800014 | STAG 15 BONES
+ STAG800014L | STAG 15L BONES



+ STAG700014K | STAG 15 BONES RIFLE KIT
+ STAG700014LK | STAG 15L BONES RIFLE KIT

STAG 10S M-LOK SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 10S (.308) M-LOK is designed to give you that extra power and serve double duty as a range and field rifle. Built around a 16" 1/10 twist 4150 Steel, Chrome Lined barrel and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit and minimizes any battle rattle from the rifle.

The barrel on the Stag 10S is protected by our lightweight, ergonomic Stag M-LOK 13.5" Handguard. The VG6 Gamma 762 muzzle brake virtually eliminates recoil and minimizes muzzle movement. The Stag 10 Bolt Carrier Groups QPQ (Quench Polish Quench) finish is a specialized type of nitrocarburizing case hardening that increases corrosion resistance, lubricity and fatigue strength.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The remainder of the rifle utilizes the DPMS .308 platform for parts compatibility.

SPECS

Weight: 8.2 lbs

Length: 35.25" collapsed, 38.50" extended

Action: Semi-Auto Direct Impingement

Caliber: .308 Winchester | 7.62x51

Twist Rate: 1/10 Button Rifled

Muzzle Device: VG6 Gamma 762

Barrel: 16", 4150 Steel, Chrome Lined

Handguard: 13.5" Stag M-LOK Handguard (Available in KeyMod)

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: Nitride QPQ BCG

Hammer/Trigger Pin Size: Mil-Spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: Magpul ACS Stock

Gas System: Low Profile Gas Block with Mid-Length Gas Tube

Buffer: AR10 Carbine Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Aluminum Enhanced Trigger Guard

Grip: Hogue Grip

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



- + STAG800017 | STAG 10S M-LOK
- + STAG800017L | STAG 10SL M-LOK
- + STAG800018 | STAG 10S KEYMOD
- + STAG800018L | STAG 10SL KEYMOD



- + STAG700017N | STAG 10S M-LOK UPPER
- + STAG700017LN | STAG 10SL M-LOK UPPER
- + STAG700018N | STAG 10S KEYMOD UPPER
- + STAG700018LN | STAG 10SL KEYMOD UPPER

STAG 10 M-LOK SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 10 (.308) M-LOK is designed to give you that extra power and serve double duty as a range and field rifle. Built around an 18" 1/10 twist 4150 Steel, Chrome Lined Barrel and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit and minimizes any battle rattle from the rifle.

The barrel on the Stag 10 is protected by our lightweight, ergonomic Stag M-LOK 16.5" Handguard. The VG6 Gamma 762 muzzle brake virtually eliminates recoil and minimizes muzzle movement. The Stag 10 Bolt Carrier Groups QPQ (Quench Polish Quench) finish is a specialized type of nitrocarburizing case hardening that increases corrosion resistance, lubricity and fatigue strength.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The remainder of the rifle utilizes the DPMS .308 platform for parts compatibility.

SPECS

Weight: 8.6 lbs

Length: 37.25" collapsed, 40.50" extended

Action: Semi-Auto Direct Impingement

Caliber: .308 Winchester | 7.62x51

Twist Rate: 1/10 Button Rifled

Muzzle Device: VG6 Gamma 762

Barrel: 18", 4150 Steel, Chrome Lined

Handguard: 16.5" Stag M-LOK Handguard (Available in KeyMod)

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: QPQ Nitride BCG

Hammer/Trigger Pin Size: Mil-spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: Magpul ACS Stock

Gas System: Low Profile Gas Block with Rifle-Length Gas Tube

Buffer: AR10 Carbine Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Aluminum Enhanced Trigger Guard

Grip: Hogue Grip

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



- + STAG800015 | STAG 10 M-LOK
- + STAG800015L | STAG 10 LH M-LOK
- + STAG800016 | STAG 10 KEYMOD
- + STAG800016L | STAG 10L KEYMOD



- + STAG700015N | STAG 10 M-LOK UPPER
- + STAG700015LN | STAG 10 LH M-LOK UPPER
- + STAG700016N | STAG 10 KEYMOD UPPER
- + STAG700016LN | STAG 10L KEYMOD UPPER

STAG 10 | 10S BONES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

Build your ideal AR10 .308 from our high quality, durable Stag 10 .308 Bones. Built around either a 16" or 18" 1/10 twist chrome lined barrel and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit, and minimizes any battle rattle from the rifle, giving you the perfect base and allows you to customize to the rifle that you want.

To eliminate recoil and minimize muzzle movement, we have outfitted the barrel with a VG6 Gamma 762 muzzle brake. Finished with durable components including a six-position receiver extension tube, and QPQ (Quench Polish Quench) Nitride finished Stag 10 bolt carrier group.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The Upper Receiver uses a DPMS High Profile, tang height of .210, allowing it to match with the most common handguards. The remainder of the rifle utilizes the DPMS/AR15 platform for parts compatibility.

SPECS

Weight: 7.5 pounds

Length: 35.5"

Tang Height: .210

Action: Semi-Auto Direct Impingement

Caliber: .308 Winchester | 7.62x51

Twist Rate: 1/10 Button Rifled

Muzzle Device: VG6 Gamma 762

Barrel: 16"/18", 4150 Steel, Chrome Lined

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: QPQ Nitride BCG

Charging Handle: Standard

Hammer/Trigger Pin Size: Mil-Spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: None/Six-Position Receiver Extension Tube

Gas System: Low Profile Gas Block with Rifle-Length Gas System

Buffer: AR10 Carbine Buffer and Spring

Trigger: Mil-Spec Single Stage Trigger with Magpul Aluminum Enhanced Trigger Guard

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800022 | STAG 10S BONES
+ STAG800022L | STAG 10SL BONES



+ STAG800021 | STAG 10 BONES
+ STAG800021L | STAG 10L BONES

STAG 10 (6.5 CREEDMOOR) M-LOK SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 10 24" 6.5 Creedmoor is designed for long range use and is the leading choice for precision rifle competitors and hunters. The 6.5 Creedmoor cartridge offers increased accuracy with less recoil to reach out and touch your target. Built around a 24" 1/8 twist 415R Stainless Steel Barrel and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit and minimizes any battle rattle from the rifle.

The barrel on the Stag 10 6.5 Creedmoor is shielded by our lightweight, ergonomic free-float Stag M-LOK 16.5" Handguard. Utilizing the Lantac Dragon 762 Compensator, each shot has improved recoil management, decrease muzzle rise and reduced flash signature. The Stag 10 Bolt Carrier Groups QPQ (Quench Polish Quench) finish is a specialized type of nitrocarburizing case hardening that increases corrosion resistance, lubricity and fatigue strength. An upgraded Two-Stage Match Trigger, designed for precision shooting, offers a smooth and consistent pull to ensure tighter groups.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The remainder of the rifle utilizes the DPMS .308 platform for parts compatibility.

SPECS

Weight: 11.7 lbs

Action: Semi-Auto Direct Impingement

Caliber: 6.5 Creedmoor

Twist Rate: 1/8 Button Rifled

Muzzle Device: Lantac 762 Dragon

Barrel: 24", 416R Stainless Steel

Handguard: 16.5 Stag M-LOK Handguard

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: Stag 10 QPQ Nitride BCG

Hammer/Trigger Pin Size: Mil-Spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: Magpul PRS Stock

Gas System: Low Profile Gas Block with Rifle-Length Gas System

Buffer: AR10 Carbine Buffer and Spring

Trigger: Two-Stage Match Trigger (2lb 1st Stage, 3.5lb 2nd Stage) with Magpul Aluminum Enhanced Trigger Guard

Grip: Magpul MOE Pistol Grip

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800019 | STAG 10 (6.5 CREEDMOOR) M-LOK
 + STAG800019L | STAG 10L (6.5 CREEDMOOR) M-LOK



+ STAG700019N | STAG 10 (6.5 CREEDMOOR) M-LOK UPPER
 + STAG700019LN | STAG 10L (6.5 CREEDMOOR) M-LOK UPPER

STAG 10S (6.5 CREEDMOOR) M-LOK SERIES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 10S 22" 6.5 Creedmoor is designed for long range use and is the leading choice for precision rifle competitors and hunters. The 6.5 Creedmoor cartridge offers increased accuracy with less recoil to reach out and touch your target. Built around a 22" 1/8 twist 415R Stainless Steel Barrel and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit and minimizes any battle rattle from the rifle.

The barrel on the Stag 10 6.5 Creedmoor is shielded by our lightweight, ergonomic free-float Stag M-LOK 16.5" Handguard. Utilizing the Lantac Dragon 762 Compensator, each shot has improved recoil management, decrease muzzle rise and reduced flash signature. The Stag 10 Bolt Carrier Groups QPQ (Quench Polish Quench) finish is a specialized type of nitrocarburizing case hardening that increases corrosion resistance, lubricity and fatigue strength. An upgraded Two-Stage Match Trigger, designed for precision shooting, offers a smooth and consistent pull to ensure tighter groups.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The remainder of the rifle utilizes the DPMS .308 platform for parts compatibility.

SPECS

Weight: 11.3 lbs

Action: Semi-Auto Direct Impingement

Caliber: 6.5 Creedmoor

Twist Rate: 1/8 Button Rifled

Muzzle Device: Lantac 762 Dragon

Barrel: 22", 416R Stainless Steel

Handguard: 16.5 Stag M-LOK Handguard

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: Stag 10 QPQ Nitride BCG

Hammer/Trigger Pin Size: Mil-Spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: Magpul PRS Stock

Gas System: Low Profile Gas Block with Rifle-Length Gas System

Buffer: AR10 Carbine Buffer and Spring

Trigger: Two-Stage Match Trigger (2lb 1st Stage, 3.5lb 2nd Stage) with Magpul Aluminum Enhanced Trigger Guard

Grip: Magpul MOE Pistol Grip

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



- + STAG800020 | STAG 10S (6.5 CREEDMOOR) M-LOK
- + STAG800020L | STAG 10SL (6.5 CREEDMOOR) M-LOK



- + STAG700020N | STAG 10S (6.5 CREEDMOOR) M-LOK UPPER
- + STAG700020LN | STAG 10SL (6.5 CREEDMOOR) M-LOK UPPER

STAG 10 | 10S (6.5 CREEDMOOR) BONES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

Build your ideal long range AR10 6.5 Creedmoor from our high quality, durable Stag 10 6.5 Creedmoor Bones. Built around your choice of 22" or 24" 1/8 twist 416R Stainless Steel barrels and our uniquely designed Forged 7075 T6 Aluminum Stag 10 receiver set. Our receiver design ensures superior fit, and minimizes any battle rattle from the rifle, giving you the perfect base and allows you to customize to the sniper rifle that you want.

To improve recoil management, decrease muzzle rise and reduce flash signature, we have outfitted the barrel with a Lantac 762 Dragon Compensator. Finished with durable components including a six-position receiver extension tube, Stag Arms Two-Stage Match Trigger, and QPQ (Quench Polish Quench) Nitride finished Stag 10 bolt carrier group.

The Stag 10's unique design features a Stag slant cut and includes proprietary parts to guarantee the best fit between the receivers. The Upper Receiver uses a DPMS High Profile, tang height of .210, allowing it to match with the most common handguards. The remainder of the rifle utilizes the DPMS/AR15 platform for parts compatibility.

SPECS

Weight: 9.8 lbs

Action: Semi-Auto Direct Impingement

Caliber: 6.5 Creedmoor

Twist Rate: 1/8 Button Rifled

Muzzle Device: Lantac 762 Dragon Compensator

Barrel: 22"/24", 416R Stainless Steel

Receiver Material: Forged 7075 T6 Aluminum with Type 3 Hard Coat Anodizing. Upper features a .210 Tang Height (DPMS High Profile)

Bolt Carrier: Stag 10 QPQ Nitride BCG

Charging Handle: Standard

Hammer/Trigger Pin Size: Mil-Spec Small Pin .154"

Pivot/Takedown Pin Size: .2770"

Buttstock: None/Six-Position Receiver Extension Tube

Gas System: Low Profile Gas Block with Rifle-Length Gas System

Buffer: AR10 Carbine Buffer and Spring

Trigger: Two-Stage Match Trigger (2lb 1st Stage, 3.5lb 2nd Stage) with Magpul Aluminum Enhanced Trigger Guard

Magazine: 10rd PMAG

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800023 | STAG 10 (6.5 CREEDMOOR) BONES
+ STAG800023L | STAG 10L (6.5 CREEDMOOR) BONES



+ STAG800024 | STAG 10S (6.5 CREEDMOOR) BONES
+ STAG800024L | STAG 10SL (6.5 CREEDMOOR) BONES

STAG 9 O.R.C.

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 9 O.R.C. (Optics Ready Carbine) features a dedicated 9mm lower and a blowback operating system for soft shooting and reliability. The Stag 9 accepts Colt Style Stick and Tavor magazines. Constructed around 7075 T6 Aluminum receivers and a 16" 1/10 twist chrome lined barrel, the Stag 9 O.R.C. will not be easy to put down. Offering the same ergonomics as a 5.56 NATO rifle, the Stag 9 is perfect for training and indoor range shooting.

Covering the barrel is a 7" thermoplastic handguard with a double heat shield, which provides improved heat mitigation. The muzzle device is an A2 Flash Hider to reduce muzzle flash. The O.R.C. is then finished with MIL SPEC furniture and accessories, including an A2 pistol grip, six-position stock, and Manganese Phosphate coated, chrome lined 9mm bolt carrier group.

SPECS

Weight: 6.5 lbs

Length: 32.25" Collapsed, 35.5" Extended

Action: Semi-Auto Blowback

Caliber: 9mm

Twist Rate: 1/10 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4140 Steel, Chrome Lined, Heavy Profile

Handguard: Thermoplastic Handguard

Receiver Material: 7075 T6 Aluminum with a Type 3 Hard Coat Anodizing

Bolt Carrier: 9mm Bolt Carrier with a Manganese Phosphate Coating

Charging Handle: Standard Mil-Spec

Buttstock: Mil-Spec Six-Position Stock

Buffer: Standard 9mm Buffer

Trigger: Mil-Spec Single Stage Trigger with Magpul Enhanced Trigger Guard

Grip: Mil-Spec Pistol Grip

Magazine: 32rd Magazine

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800011 | STAG 9 O.R.C
+ STAG800011L | STAG 9L O.R.C

STAG 9 TACTICAL

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

The Stag 9 Tactical features a dedicated 9mm lower and a blowback operating system for soft shooting and reliability. The Stag 9 accepts Colt Style Stick and Tavor magazines. Built around 7075 T6 Aluminum receivers and a 16" 1/10 twist chrome lined barrel, the Stag 9 Tactical comes upgraded with everything you'd need.

The free-floating Stag SL M-LOK 13.5" Handguard features a slimline, lightweight profile that offers increased ergonomics, maximum airflow, and modularity while continuing to provide the utmost strength and durability. The handguard provides QD mounts at each end and an uninterrupted picatinny rail along the top, which allows for room for sights, optics and accessories the shooter may require. The rifle is completed with a Magpul CTR Stock, MOE Pistol Grip, Enhanced Trigger Guard and Manganese Phosphate coated, chrome lined 9mm bolt carrier group.

SPECS

Weight: 6.7 lbs

Length: 32.25" Collapsed, 35.5" Extended

Action: Semi-Auto Blowback

Caliber: 9mm

Twist Rate: 1/10 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4140 Steel, Chrome Lined, Heavy Profile

Handguard: Stag M-LOK SL 13.5" Handguard

Receiver Material: 7075 T6 Aluminum with a Type 3 Hard Coat Anodizing

Bolt Carrier: 9mm Bolt Carrier with a Manganese Phosphate Coating

Charging Handle: Standard Mil-Spec

Buttstock: Magpul CTR Stock

Buffer: Standard 9mm Buffer

Trigger: Mil-Spec Single Stage Trigger with a Magpul Enhanced Trigger Guard

Grip: Magpul MOE Pistol Grip

Magazine: 32rd Magazine

Safety Selector: Right Hand

Available in multiple State Configurations



+ STAG800007 | STAG 9 TACTICAL
+ STAG800007L | STAG 9L TACTICAL

STAG 9 BONES

AVAILABLE IN RIGHT AND LEFT-HANDED CONFIGURATIONS

Build your ideal 9mm AR from our high quality, durable Stag 9 Bones platform that accepts Colt Style Stick and Tavor magazines. Built around a 16" 1/10 twist chrome lined heavy barrel and 7075 T6 Aluminum receivers, this dedicated 9mm AR, with blowback operating system, gives you the perfect base and allows you to customize to the rifle that you want.

To reduce muzzle flash, we have outfitted the barrel with an A2 Flash Hider. Finished with durable components including a six-position receiver extension tube and Manganese Phosphate coated, chrome lined 9mm bolt carrier group.

SPECS

Action: Semi-Auto Blowback

Caliber: 9mm

Twist Rate: 1/10 Button Rifled

Muzzle Device: A2 Flash Hider

Barrel: 16", 4140 Steel, Chrome Lined, Heavy Profile, Manganese Phosphate Coated

Receiver Material: Forged and Mil-Spec 7075 T6 Aluminum with Type 3 Hard Coat Anodizing

Bolt Carrier: 9mm Bolt Carrier with a Manganese Phosphate Coating

Buffer: Standard 9mm Buffer

Trigger: Single Stage Trigger

Magazine: 32rd Magazine

Safety Selector: Right Hand

Available in multiple State Configurations



+ SA800104 | STAG 9 BONES





STAG ARMS

PARTS & ACCESSORIES

MUZZLE DEVICES



5.56

SA160048 | A2 Flash Hider

SA160046 | Stag Compensator

SA160055 | Stag 3G Compensator



300 Blackout

SA160051 | 300 Blackout Compensator

SA160254 | 300 Blackout Flash Hider



.308

SA300055 | VG6 Gamma 762 Compensator

SA300059 | Birdcage Flash Hider



UPPER RECEIVERS



STAG 15

SA200001 | A3 Flattop Upper Receiver Assembly Right-Handed

SA200002 | A3 Flattop Upper Receiver Assembly Left-Handed

SA120001 | A3 Upper Receiver Stripped Right-Handed

STAG 10

SA300044 | Stag 10 Upper Receiver Assembly Right-Handed

SA300044LH | Stag 10 Upper Receiver Assembly Left-Handed

SA300042 | Stag 10 Stripped Upper Receiver Right-Handed

BOLT CARRIER GROUPS



SA240001 | Stag 15 Bolt Carrier Assembly Right-Handed

SA240002 | Stag 15 Bolt Carrier Assembly Left-Handed

SA210132 | Stag 15 Nickel Boron Bolt Carrier Assembly Right-Handed


SA210133 | Stag 15 Nickel Boron Bolt Carrier Assembly Left-Handed

STAG530001 | Stag 15 American Flag Bolt Carrier Assembly Right-Handed

STAG530001L | Stag 15 American Flag Bolt Carrier Assembly Left-Handed

SA241001 | Stag 10 QPQ Nitride Bolt Carrier Assembly Right-Handed

SA300081 | Stag 10 QPQ Nitride Bolt Carrier Assembly Left-Handed



BARRELS



5.56

SA400011 | 16" M4 Barrel, Chrome Lined, Carbine-Length (1/7 twist)

SA400002 | 16" M4 Barrel, Chrome Lined, Carbine-Length (1/9 twist)

SA400018 | 18" Fluted Barrel, 416R Stainless Steel, Rifle-Length (1/8 twist)

STAG400081X | 18" Fluted Heavy Barrel, 416R Stainless Steel, Mid-Length (1/7 twist)

SA400035 | 20" Heavy Barrel, Chrome Moly Vanadium, Rifle-Length (1/8 twist)

SA400022 | 24" Heavy Bull Barrel, 410 Stainless Steel, Rifle-Length (1/8 twist)



.308

SA161089 | 16" Heavy Barrel, Chrome Lined, Mid-Length (1/10 twist)

SA161086 | 18" Heavy Barrel, Chrome Lined, Rifle-Length (1/10 twist)



6.5 Creedmoor

22" Heavy Barrel, 416R Stainless Steel, Bead Blasted, Rifle-Length (1/8 twist)

24" Heavy Barrel, 416R Stainless Steel, Bead Blasted, Rifle-Length (1/8 twist)

CHARGING HANDLES



STAG 15

SA160060 | Standard Charging Handle

STAG300267 | Radian Raptor-LT Ambi Charging Handle

STAG 10

SA161025 | .308 Charging Handle



LOWER RECEIVERS

STAG 15

SA110001 | AR15 Stripped Lower Receiver

SA161052 | American Flag AR15 Stripped Lower Receiver

SA161053 | Gadsden AR15 Stripped Lower Receiver

SA161051 | 2nd Amendment AR15 Stripped Lower Receiver

SA300050 | AR15 Lower receiver with kit Installed

STAG 10

SA300043 | AR10 Stripped Lower

SA300047 | Stag 10 Lower Assembly



HANDGUARDS



STAG 15

STAG300252 | Stag 15 13.5" M-LOK SL Handguard w/ Quad Rail
STAG300253 | Stag 15 13.5" M-LOK SL Handguard w/ QD Mounts
STAG300236 | Stag 15 16.5" M-LOK SL Handguard w/ Quad Rail



STAG 10

SA300101 | Stag 10 13.5" M-LOK Handguard
SA300100 | Stag 10 13.5" KeyMod Handguard
SA300103 | Stag 10 16.5" M-LOK Handguard
SA300102 | Stag 10 16.5" KeyMod Handguard



LOWER HALVES



STAG 15

SA600007 | Stag 15 Lower Half with Magpul® PRS®
SA600001 | Stag 15 Lower Half with Magpul® CTR®
SA600008 | Stag 15 Lower Half with Magpul® ACS™
SA210007 | Stag 15 A2 Lower Half
SA210006 | Stag 15 Tactical Lower Half

STAG 10

SA600005 | Stag 10 Tactical Lower Half
SA600004 | Stag 10 Lower Half with Magpul® PRS®
SA600003 | Stag 10 Lower Half with Magpul® Fixed Stock
SA600002 | Stag 10 Lower Half with Magpul® ACS™

BUTTSTOCK ASSEMBLIES



+ SA250011 | A2 Stock Kit

The A2 Stock Kit includes everything you need to attach an A2 stock to your rifle.

- A2 Buffer Assembly
- A2 Stock with Trap Door Storage
- A2 Extension Receiver
- A2 Stock Screw
- A2 Action Spring
- Buttcap Spacer



+ SA161013 | Magpul® ACS™ Stock Assembly

The Magpul® ACS™ Stock Kit includes a collapsible six-position stock utilizing a Mil-Spec receiver extension.

- Carbine Action Spring
- Carbine Standard Weight Buffer Assembly
- Magpul® ACS™ Stock
- Mil-Spec Six-Position Extension Receiver
- Receiver End Plate
- Receiver Nut




+ SA250012 | Tactical Stock Kit

The Mil-Spec Tactical Stock Kit includes a collapsible six-position stock utilizing a Mil-Spec receiver extension.

- Carbine Action Spring
- Carbine Standard Weight Buffer Assembly
- Mil-Spec Stock with Sling Swivel
- Mil-Spec Six-Position Extension Receiver
- Receiver End Plate
- Receiver Nut

RECEIVER EXTENSION KITS



STAG300255 | Stag 15 Rifle Receiver Extension Kit

A2 Buffer Assembly
A2 Extension Receiver
A2 Stock Screw
A2 Action Spring
Buttcap Spacer



SA300054 | Stag 10 Rifle Receiver Extension Kit

A2 Buffer Tube
Buttcap Spacer
A2 Stock Screw
.308 Rifle Buffer
.308 Rifle Buffer Spring



STAG300256 | Stag 15 Carbine Receiver Extension Kit

Carbine Action Spring
Carbine Standard Weight Buffer Assembly
Mil-Spec Six-Position Extension Receiver
Receiver End Plate
Receiver Nut



SA300053 | Stag 10 Carbine Receiver Extension Kit

Six-Position Tube
Receiver Ambi Plate
Receiver Nut
.308 Carbine Buffer
.308 Carbine Buffer Spring

TRANSFERABLE LIFETIME WARRANTY

INFINITE SHOT BARREL GUARANTEE.

ALL WARRANTY/REPAIR ISSUES ARE HANDLED DIRECTLY BY STAG ARMS
DO NOT CONTACT YOUR DEALER FOR WARRANTY OR REPAIRS

Stag Arms LLC manufactured firearms are warrantied to be free from defects in materials and craftsmanship for the lifetime of the rifle. Parts and accessories are warranted for one year from the date of purchase or delivery. The liability of Stag Arms LLC under this warranty shall be limited solely to the obligation to repair or replace the item or defect at its discretion and to pay transportation and insurance charges for return of the item to owner for a rightful warrantied claim. Modification or alteration of a firearm will void this warranty. This warranty does not cover normal wear. Any damage resulting from careless handling, neglect, third party repairs, adjustments, modifications, corrosion, or non-SAAMI spec ammunition are not covered. This warranty is transferable to future owners.

INFINITE SHOT GUARANTEE: The barrel of a rifle manufactured by us will be replaced at our discretion if the bore is worn out through normal wear.

To initiate a Warranty claim, e-mail or call Stag Arms Service department at Service@stagarms.com or 860.229.9994 x2 Monday - Friday 9:00 am - 5:30 pm EST.

PLEASE NOTE: Any shipment without a Returned Materials Authorization (RMA) number written on the box will be returned to sender without being opened. If a replacement is required, all items covered under the warranty must first be received by Stag Arms LLC before a replacement will be shipped. The item(s) concerned should be shipped (transportation charges prepaid) to: Warranty Department, Stag Arms LLC, 515 John Downey Dr. New Britain, CT 06051. The owner should insure the shipment and obtain a tracking number. Stag Arms LLC will not be responsible for loss or damage in transit. Stag Arms LLC will pay shipping and insurance charges for the return of an item to its owner if the related claim is a proper claim for warranty work. Materials, cases and boxes used to ship the item to us will not be returned. Under no circumstances shall Stag Arms LLC be responsible for incidental or consequential damages with respect to economic loss or injury to property, whether as a result of express or implied warranty, negligence or otherwise. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you. Stag Arms LLC will not be responsible for the results of careless handling, unauthorized adjustments, unauthorized repairs, unauthorized modification, corrosion, neglect, ordinary wear and tear, or unreasonable use. Stag Arms LLC will not be responsible for the results of defective, low-quality, hand-loaded, reloaded or improper ammunition.

At Stag Arms LLC, we believe excellence is of the greatest importance. Like our products, our customer service representatives exceed the highest standards of customer support. If you have any questions about the Stag Arms LLC product line, you'll find a helpful member of our team at your service - just call our Customer Service Line at 860.229.9994 Monday - Friday 9:00 am - 5:30 pm (ET). We can also promptly answer your questions or order inquiries via email at customerservice@stagarms.com.

States with assault weapon bans will have post-ban versions of the rifles shipped. States with magazine restrictions will have magazines shipped that comply with state laws.

Product configurations and prices are subject to change without notice. The most up to date information is available at www.stagarms.com or by calling 860.229.9994

RETURNS

All unused products may be returned within 15 days of the date of delivery. All returns must be in new condition and are subject to a 15% restocking fee. The original shipping fee is nonrefundable. We do not accept returns on used or engraved items. Attempted returns on non-refundable items will be sent back at the shipper's expense. Returns must be pre-approved by calling 860.229.9994 The original shipping fee is non-refundable.

EXCHANGES

Unused items may be exchanged within 15 days; include a copy of your invoice. Exchanges for similar items will not be charged a restocking fee. To return/exchange merchandise, please call us at 860.229.9994. It is necessary to contact us and speak with a representative before sending in any firearms or parts. Any products sent without a prearranged RMA will be returned to sender.





ORDER INFORMATION

ORDER ONLINE, BY PHONE, OR MAIL

Payments can be made by Visa, MasterCard, Discover, American Express.

FFL INFORMATION

A current, signed, FFL is required before processing firearms orders. Please have your FFL available if ordering by phone.

SHIPPING INFORMATION

Shipping charges are estimates and apply to pre-paid orders only. Next Day, Second Day Air and 3 Day are available, please call for pricing. All totals figured in U.S dollars. All prices subject to change without notice.

Order Total:

\$0.00 - \$10.00
\$10.00 - \$99.00
\$99.00 & Up

Shipping Cost:

\$3.00
\$7.00
FREE

STAG ARMS

515 John Downey Drive
New Britain, CT 06051

Hours 9-5:30 EST, Monday - Friday
Phone: 860 - 229 - 9994
Fax: 860 - 229 - 3738
customerservice@stagarms.com
www.stagarms.com

Mailing Address:

STAG ARMS LLC
515 John Downey Drive
New Britain, CT 06051

Web:

www.stagarms.com

Email:

customerservice@stagarms.com
sales@stagarms.com

Warranty Service, Returns & Repairs:

service@stagarms.com

International:

worldsales@stagarms.com

Phone: 860.229.9994

Fax: 860.229.3738

